



**BPIR** – Building Product Information Requirements

**Class 1**

# Coach Screws



Product Disclosure Information Self-Assessment  
Version: 240727

|                    |  |
|--------------------|--|
| Product Name       | Milsons Coach Screws   |
| Product Identifier | CS (diameter x length*) (finish*) e.g. CS12x75G<br>Note: Stainless products display the grade before the diameter. |

## Declaration

Milsons 2012 Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

## Product Description

Coach Screws are a heavy-duty screw which has a hexagonal head and an externally threaded cylindrical shaft that tapers to a point at the tip. The dimensions and mechanical properties are based on international standard AS1393-4.6. Milsons offer a broad selection of sizes and finishes, that are suitable for both interior and exterior use.

## Scope of Use

Coach screws intended uses are primarily for holding together heavy timber, fixing metal to timber and in some cases masonry or concrete.

## Conditions of Use

The responsibility for choosing the correct size/diameter and finish of the product, as well as applying the appropriate torque during installation in accordance with the application's requirements, rests with the user. To facilitate your decision-making process, we recommend consulting our technical guides, available at the following web address: <https://milsons.co.nz/category/technical-resources>.



## Contribution to Building Code Clauses

| Relevant Code Clauses   | Contributions to Compliance  |
|---|--|
| B1 Structure —<br>B1.3.1, B1.3.2,<br>B1.3.3 (b, d, e, f, g, h, j, q),<br>B1.3.4 | Compliance with B1 Structure is contingent upon the design crafted by the designated professional, such as a consulting structural engineer or architect. Design data is accessible to these professionals to ensure compliance with the provisions stipulated in NZS 3603 or AS/NZS 1720 and NZS 3404 Parts 1 and 2:1997. Refer to the AS/NZ standard and installation requirements for further information.  |
| B2 Durability —<br>B2.3.1 (a)   | The product is offered in multiple coating options or in stainless steel. Compliance with B2 Durability is contingent upon the selection of the most appropriate coating or material, in accordance with the specific application. This decision should be based on the required durability for the intended use, taking into consideration the environmental conditions in which the product will be situated. This should be made by the designer. |
| F2 Hazardous building materials —<br>F2.3.1                                     | These products are safe when handled and do not contain or emit harmful materials. There are no requirements for this product in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.   |

## Supporting Documentation

The following additional documentation supports the above statements:

- + Coach Screws Installation Guide  
<https://milsons.co.nz/coach-screws-installation-guide>
- + Fastener Finishes  
<https://milsons.co.nz/fastener-finishes>

## Contact Details

|                                    |  |
|------------------------------------|--|
| Manufacture Location               | Our procurement involves sourcing products from a diverse range of manufacturers, encompassing countries such as China, Taiwan, Australia, and a curated assortment of European nations. For specific details regarding the manufacturer pertinent to the LOT you intend to purchase, we encourage you to reach out to our office for further information and clarification. |
| Legal and Trading Name of Importer | Milsons 2012 Ltd   |
| Importer Address for Service       | 20 Kaimanawa Street, Palmerston North 4414   |
| Importer Website                   | <a href="https://milsons.co.nz">milsons.co.nz</a>  |
| Importer NZBN                      | 9429030668829  |
| Importer Email                     | <a href="mailto:sales@milsons.co.nz">sales@milsons.co.nz</a>   |
| Importer Phone Number              | 0800 507 444   |



## Warnings and Bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?


- ➕ No. Milsons can confirm that these products are not subject to a warning or ban under S26 of the Building Act.


**milsons®**

Delivering New Zealand's Leading Fastening Experience

 **20 Kaimanawa St., PO Box 672  
Palmerston North, 4414**

 Call us on  
**0800 507 444**

 Email us  
**info@milsons.co.nz**

 Visit our website  
**milsons.co.nz**

The data provided in this document is for general guidance only and should not be solely relied upon when working to stringent specifications. We recommend consulting with qualified experts regarding any technical queries.

Milsons® (2012) Limited NZBN: 9429030668829. Copyright © 2023.

The contents of this document remains the property of Milsons and may not be reproduced without prior written permission.